


# TestPassKing

Over **61842+** Satisfied Customers

[About Us](#)



**TRY BEFORE YOU BUY**  
Download a free sample of any of our exam questions and answers

- 24/7 customer support, Secure shopping site
- Free One year updates to match real exam scenarios
- If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... | Select an exam... | Your email address | [Free Download](#)

## What Clients Say About Us

**Disclaimer Policy:** The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.

“ I think the dump is very good. It was well written, easy to understand. I passed the E\_HANAAW151 last week. If you're looking for a good material to guide your certification exam, this is a good choice. ”



Blanche

“ Just know I pass, happy happy happy. Recommendation!!! The 070-743practice test is very useful for me. I fail once. This time I buy the SOFT file, I feel easy to pass. Wonderful! ”



Eartha

<http://www.testpassking.com>

Reliable test question & new testking PDF & wonderful pass score

**Exam** : **210-065**

**Title** : Implementing Cisco Video  
Network Devices (CIVND)

**Vendor** : Cisco

**Version** : DEMO

**NO.1** An engineer is installing a 65-inch display for a Cisco Telepresence unit. At which recommended distance from the conference table must the display be set?

- A. 4 feet
- B. 6 feet
- C. 8 feet
- D. 12 feet

**Answer:** C

**NO.2** Which option involves combining visual elements from separate sources into a single image?

- A. compositing
- B. sampling
- C. interleaving
- D. interlacing

**Answer:** A

Explanation

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/software/ce9/release-notes/ce-software-release-notes-ce9.pdf>

**NO.3** An engineer must set the DNS name for a Cisco Unity Connection system. Which CLI command accomplishes this task?

- A. set network domain
- B. set network name-service
- C. set network dns
- D. set network dns options

**Answer:** C

Explanation

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/9x/upgrade/guide/9xcucrugx/9xcucrug070.pdf](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/9x/upgrade/guide/9xcucrugx/9xcucrug070.pdf)

**NO.4** An engineer wants to configure third-party video conferencing systems to collaborate with internal CTS endpoints that are registered to Cisco Unified Communications Manager. The third-party endpoints are located on the public Internet. Which two components are required for this design? (Choose two)

- A. Expressway-E
- B. Cisco MXE 3500
- C. Cisco Expressway Series with MRA
- D. Expressway-C
- E. Cisco TelePresence Management Suite

**Answer:** A D

Explanation

<https://www.cisco.com/c/en/us/products/unified-communications/expressway-series/index.html#~:stickynav=2>

**NO.5** A network engineer wants to quickly view any issues that may exist for a newly deployed Cisco

Telepresence SX20 codec. To which location in the codec web GUI should the engineer navigate to find this

- A. Configuration>Security
- B. Configuration>System Status
- C. Diagnostics>Troubleshooting
- D. Diagnostics>Alerts

**Answer:** C

**NO.6** Which two components are Cisco video surveillance storage techniques? (Choose two)

- A. SAN
- B. NAS
- C. SD card
- D. RAID
- E. flash

**Answer:** A B

**NO.7** Which two Cisco TelePresence protocols are supported for content sharing in point-to-point and multipoint meetings? (Choose two.)

- A. Auto Collaboration
- B. BFCP
- C. ICE
- D. H.323
- E. Switched Presentation

**Answer:** A B

**NO.8** Which solution supports the use of a lobby screen?

- A. CTMS
- B. MCU 5300
- C. Conductor
- D. TS 8710

**Answer:** D

**NO.9** A user is unable to make a video call from an endpoint that is registered to the Cisco VCS to isolate the cause, which two menu choices should the user check first? (Choose two.)

- A. Status > Search History
- B. Status > Registrations
- C. Status > System Information
- D. Status > Evening Log
- E. Configuration > Call policy

**Answer:** A D

**NO.10** Which two Cisco TelePresence endpoints are considered immersive endpoints? (Choose two.)

- A. SX10

- B. Tx9000
- C. Jabber Video for Telepresence
- D. C20
- E. EX90
- F. IX5000

**Answer:** B F

**NO.11** A customer wants to enable existing remote CiscoJabber users to register their devices to Cisco Unified Communications Manager without using a VPN connection. What should the customer implement, in order to achieve this goal?

- A. Cisco Expressway Series with MRA
- B. Cisco Expressway Series with Jabber Guest
- C. Cisco VCS with Jabber Guest
- D. Cisco VCS with RMA
- E. Cisco Unified Communications Manger IM and Presence XMPP Federation

**Answer:** A

**NO.12** Video conference bridges accomplish their conferencing functionality by doing media switching.

What are the two main advantages of media switching? (Choose two.)

- A. The ability to upscale low-resolution video
- B. Endpoints that can customize layouts
- C. Lower cost per port
- D. Typically higher port capacity
- E. The ability for endpoints to connect at different bandwidth speeds and resolutions

**Answer:** C D

**NO.13** An engineer must select an endpoint that supports H.265. Which endpoint must be chosen?

- A. CTS 500
- B. TX 1300
- C. IX5000
- D. TX9000
- E. CTS 1100

**Answer:** C

Explanation

<https://www.cisco.com/c/en/us/products/collateral/collaboration-endpoints/ix5000-series/datasheet-c78-733257.html>

**NO.14** Which function does BFCP provide?

- A. BFCP is a secondary video channel that is used for content such as slide presentations and desktop sharing.
- B. BFCP is used to determine who is allowed to send media to the content channel.
- C. BFCP negotiates who can send DTMF tones and when the tones are sent.

D. BFCP provides the ability to pan, tilt and zoom the far end's camera.

**Answer:** A

**NO.15** Which two feature keys are valid for both Cisco TelePresence MCU and Cisco TelePresence Server ? (Choose two.)

- A. Encryption
- B. Cluster support
- C. Video firewall
- D. Third-party interoperability
- E. Web conferencing

**Answer:** A B