


TestPassKing

Over **61842+** Satisfied Customers

[About Us](#)



TRY BEFORE YOU BUY

Download a free sample of any of our exam questions and answers

- 24/7 customer support, Secure shopping site
- Free One year updates to match real exam scenarios
- If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... | Select an exam... | Your email address | [Free Download](#)

What Clients Say About Us

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.

“ I think the dump is very good. It was well written, easy to understand. I passed the E_HANAAW151 last week. If you're looking for a good material to guide your certification exam, this is a good choice. ”



Blanche

“ Just know I pass, happy happy happy. Recommendation!!! The 070-743practice test is very useful for me. I fail once. This time I buy the SOFT file, I feel easy to pass. Wonderful! ”



Eartha

<http://www.testpassking.com>

Reliable test question & new testking PDF & wonderful pass score

Exam : **E20-368**

Title : Specialist - Implementation
Engineer, XtremIO Solutions
Exam

Vendor : EMC

Version : DEMO

NO.1 Which Storage Controller port is assigned a public IP address?

- A. MGMT-1
- B. MGMT-3
- C. MGMT-4
- D. MGMT-2

Answer: A

NO.2 What enables the aggregation of RAM between Storage Controllers in an XtremIO cluster?

- A. LCC
- B. MIBE
- C. XDP
- D. RDMA

Answer: D

NO.3 You are presenting storage to a VMware cluster that performs variable block writes. What block size should you configure the XtremIO volume to use?

- A. 8 KB
- B. 512 B
- C. 63 offset
- D. 4 KB

Answer: B

NO.4 Which IP address on the physical XMS should you connect to perform initial configuration?

- A. 128.221.252.2
- B. 10.0.0.1
- C. 192.168.0.1
- D. 169.254.254.1

Answer: D

NO.5 Which equation determines the value of the deduplication ratio?

- A. "Unique Data" divided by "Physical Space Used"
- B. "Volume Capacity" divided by "Physical Space Used"
- C. "Logical Space in Use" divided by "Unique Data"
- D. "Logical Space in Use" divided by "Physical Space Used"

Answer: C

NO.6 What are the four severity levels that can be displayed with the alert details?

- A. Warning, error, critical, and alert
- B. Notice, warning, alert, and error
- C. Informational, minor, major, and critical
- D. Informational, warning, error, and critical

Answer: C

NO.7 An IT service provider is planning to deploy two XtremIO clusters with four X-Bricks each. Both the clusters should be managed by dedicated storage specialists.

What is a consideration for this deployment?

- A.** One XMS must be deployed for each cluster
- B.** Physical XMS is not supported for multi-cluster management
- C.** 8912 volumes can be managed by XMS from all clusters
- D.** Only 256 volumes are supported per Consistency Group

Answer: A

NO.8 You are connecting a host with two Fibre Channel HBAs to an XtremIO array. The array is a dual X-Brick connected to two Fibre Channel switches. An additional requirement is that the host be able to communicate to all Storage Controllers.

Which front end ports would meet these requirements?

- A.** X1-SC1-FC1, X1-SC2-FC1, X3-SC1-FC1, and X4-SC1-FC1
- B.** X1-SC1-FC1, X1-SC2-FC2, X3-SC1-FC1, and X4-SC2-FC2
- C.** X1-SC1-FC1, X1-SC2-FC2, X2-SC1-FC1, and X2-SC2-FC2
- D.** X1-SC1-FC1, X2-SC2-FC1, X2-SC1-FC1, and X2-SC2-FC2

Answer: C

NO.9 Which port on the Storage Controller is used to communicate with the XMS?

- A.** IPMI
- B.** TECH
- C.** Management
- D.** InfiniBand

Answer: C

NO.10 Which user account should be used to place software images on the XMS in preparation for initializing a cluster?

- A.** admin
- B.** xinstall
- C.** xmsadmin
- D.** xmsupload

Answer: D